

Chalk Posies



Chalk Posies

Features Cherry's Chalk Texture collection
for Contempo Studio of Benartex

- WOF = Width Of Fabric folded selvage to selvage
- All seam allowances are 1/4"
- Press fabric before cutting
- Cut and label all fabrics prior to sewing
- Finished size: 58" x 69"


Step 1: Cut and label all fabrics

	Fabric #	SKU #	Placement	Rotary Cut	Yardage
		Chalk Texture 10" Squares Pack CHKTEX10	Blocks	Choose (20) 10" squares and cut each square into (4) 5" x 5" - A	1 Pack
	Fabric 1	Chalk Texture Navy 9488-57	Blocks	(4) 2" x WOF strips sub-cut into: (80) 2" x 2" - C	1/3 yd
	Fabric 2	White Loopy Daisy 9486-90	Blocks	(14) 2 1/2" x WOF strips sub-cut into: (49) 2 1/2" x 9 1/2" - D (15) 1 1/2" x WOF strips sub-cut into: (240) 1 1/2" x 1 1/2" - B <i>Save the remaining strips for F & G</i>	1 5/8 yd
	Fabric 3	Chalk Texture Cloud 9488-13	Border	(7) 3" x WOF strips - L & M (2) 2 1/2" x WOF strips sub-cut into: (30) 2 1/2" x 2 1/2" E (6) 2" x WOF strips - H & I	1 1/4 yd
	Fabric 4	Chalk Texture Citron 9488-42	Border & Binding	(6) 2 1/4" x WOF strips - Binding (7) 1 1/2" x WOF strips - J & K	3/4 yd
	Fabric 5	Chalk Texture Violet 9488-06	Backing		4 yds


Chalk Posies

Step 2: Blocks


1. Gather the **A**, **B** and **C** squares.
2. With a pencil or water soluble pen, draw diagonal lines onto the wrong side of a **fabric** 1 2" x 2" **C** and (3) 1 1/2" x 1 1/2" **B** squares.



3. Place the marked **C** square, wrong side up, onto the top right corner of a 5" x 5" **A** square and pin in place.
4. Sew on the marked line and trim the excess fabric leaving a 1/4" seam allowance; flip/press the **C** triangle out.




5. One at a time, sew and trim **B** squares on the three remaining corners of **A** to complete an **ABC** unit.
6. Repeat the steps for a total of (4) **ABC** units.




Make 4 ABC units

7. Sew the (4) **ABC** units together to make a Posie block.



Make a Posie block

8. Repeat with the remaining **A**, **B** and **C** squares for a total of (20) Posie blocks.




Make 20 Posie blocks


Chalk Posies

Step 3: Quilt Rows

1. To make a quilt row, sew (5) **fabric 2** 2½" x 9½" **D** strips and (4) Posie blocks; press to **D**.



2. Following the diagram below as a color placement guide to sew a total of (5) quilt rows with the Posie blocks and **D** strips.



Make 5 quilt rows

Step 4: Sashing Rows

1. Sew (5) **fabric 3** 2½" x 2½" **E** squares and (4) **fabric 2** 2½" x 9½" **D** strips to make a sashing row; press to **E**.



2. Repeat for a total of (6) sashing rows.



Make 6 sashing rows

Chalk Posies

Step 5: Quilt Assembly

1. Sew the (5) quilt rows and (6) sashing rows to make the quilt center; press seams to the sashing rows.
2. Sew (3) **fabric 2** 1½" x WOF strips end to end and cut into (2) 1½" x 46½" **F** strips; sew onto the top and bottom edges of the quilt center and press to **F**.
3. Sew the remaining (3) **fabric 2** 1½" x WOF strips end to end and cut into (2) 1½" x 59½" **G** strips; sew onto the left and right edges of the quilt center and press to **G**.
4. Sew (3) **fabric 3** 2" x WOF strips end to end and cut into (2) 2" x 48½" **H** strips; sew onto the top and bottom edges of the quilt center and press to **F**.
5. Sew the remaining (3) **fabric 3** 2" x WOF strips end to end and cut into (2) 2" x 62½" **I** strips; sew onto the left and right edges and press to **G**.
6. Sew (3) **fabric 4** 1½" x WOF strips end to end and cut into (2) 1½" x 51½" **J** strips; sew onto the top and bottom edges of the quilt center and press to **J**.
7. Sew the remaining (3) **fabric 4** 1½" x WOF strips end to end and cut into (2) 1½" x 64½" **K** strips; sew onto the left and right and press to **K**.
8. Sew (3) **fabric 3** 3" x WOF strips end to end and cut into (2) 3" x 53½" **L** strips; sew onto the top and bottom edges and press to **J**.
9. Sew the remaining (4) **fabric 3** 3" x WOF strips end to end and cut into (2) 3" x 69½" **M** strips; sew onto the left and right edges of the quilt center and press to **K**.

Step 6: Finishing

1. Layer the quilt backing, batting and quilt top, and quilt as desired.
2. Bind with the (7) **fabric 4** 2¼" x WOF binding strips, label and enjoy!

